

Warmup[®]

The world's **best-selling** electric floor heating brand[™]

INSTANT PRICING



Here for you

This is your project, and we're here to help! Whether it is your first time shopping with Warmup or you are back for more of this life-changing heat, we hope to offer you an unbeatable customer experience.



Questions?

Call or email us. We want to be accessible when you need us the most.

In the USA: (888) 927-6333 / ussales@warmup.com or us@warmup.com

In Canada: (888) 592-7687 / ca@warmup.com

24/7 - Online: www.warmupedia.warmup.com / www.youtube.com/user/WarmupInc or by **Phone:** (888) 927-6333



Instant Pricing

You can visit us at www.warmup.com/www.warmup.ca for instant pricing. If you prefer to speak with a team member directly, you can call or email us using the contact information listed above.

Upon request, we are happy to supply a layout for your project. A layout shows how to put the product purchased into your space.



Orders

Orders can be emailed to us@warmup.com or faxed to (888)927-4721. We appreciate your understanding that orders must be received in writing.

If it's your first time ordering with Warmup, we'll do our best to get you set-up same day and make sure your order is dispatched promptly.



Policies, Simplified

Shipping FFA is \$3,000.

Payment is due in full prior to credit approval.

Returns are allowed within 30 days with no penalty. After 30 days, returns are subject to a 20% restocking fee.

Warranties are industry leading.

For complete general terms and warranty information please see pages 4-5.

Warmup General Terms

PAYMENT TERMS

Orders placed prior to credit approval will be subject to full prepayment. Warmup standard payment terms are net 30 days from date of invoice. Special terms and conditions can be negotiated and discussed with your Key Account Manager. A credit application with signed business terms must be on file with Warmup. Please include a copy of your Resale Certificate.

REMIT PAYMENTS

In the USA:

Warmup, Inc
25 Francis J Clarke Circle, Suite A
Bethel, CT, 06801

In Canada:

Warmup, Inc
C/O TH1067
PO Box 4283
Postal Station A
Toronto, ON, M5W 5W6

Shipping and handling will be invoiced based on the products purchased. FFA is \$3,000.

RETURNS

Returns, in resalable condition, are allowed within 30 days of purchase for a full refund. You must request an RGA from Warmup. Returns received without RGA cannot be refunded. After 30 days of purchase,

or after expiration of the RGA, Warmup will only issue credit notes on future orders and apply a 20% re-stocking fee.

ORDERS MUST BE SUBMITTED IN WRITING

Fax: (888) 927-4721

In the USA: us@warmup.com

In Canada: ca@warmup.com

Orders placed before 1:00PM (EST) will be shipped same or next day, UPS. Orders placed after the deadline will be shipped promptly the following business day. All deliveries must be inspected for accuracy within 7 days of receipt. No claim can be accepted thereafter.

ONLINE POLICY






The Warmup brand is exclusive to established and approved brick & mortar resellers. The Warmup products cannot be sold online through third-party resellers such as Amazon or eBay. Warmup resellers may post product on their websites following the MAP policy. To obtain a copy and offer our products on your company website, please contact us@warmup.com.

For complete and up-to-date Warmup Inc. Terms and Conditions, visit warmup.com or warmup.ca.

Warranties & Guarantees

In addition to our traditional warranties, Warmup offers the **The SafetyNet™ Guarantee** to all installers. Receive a free and immediate replacement for product damaged onsite, for any reason. Because 99% of issues happen during installation and not thereafter, Warmup wants to ensure that the system installed is free and clear of any defects or damage.


For detailed Warranty and SafetyNet™ terms, visit www.warmup.com/about/best-warranties

DCM Cable	
DCM Membrane	
DWM StickyMat	
FOIL	
WODH In-Slab	
SR Freeze Protection	
WSM & WSMM Snow Melting	
6iE Thermostat	
Outdoor Controls	
Towel Warmers	
WRGH Cable De-Icing	

We carry multiple approvals across our product range. For all our approvals, visit www.warmup.com



R



DCM-PRO Cable

Warmup DCM-PRO Cable is designed to fit the Warmup DCM-PRO Membrane.

The cable can be spaced at various intervals for the highest flexibility in heat outputs, from Comfort Heating to Primary Heating.


For better results, pair with the Warmup 6iE® Smart thermostat for lowest consumption cost when installed with 1/4" Warmup Ultralight™ 4-in-1 insulation boards.

Quote in 5 Easy Steps:

- 1. Cable
- 2. Membrane OR Fixing Strips
- 3. Accessories
- 4. Thermostat
- 5. Optional Insulation

Thickness	3/16" (4.5mm - +/- 0.2mm)
Output	Varies with spacing from 11w/sqft to 20w/sqft
Construction	Multi-stranded, dual wire
Inner insulation	ETFE
Outer jacket	PVC
Ground braid	85% min copper
Cold lead	10ft (3m) long, 2 core braided

The DCM-PRO system is warrantied for 30 years when comprised of a Warmup thermostat, the DCM-PRO Membrane and the DCM-PRO Cable. For full warranty details, see www.warmup.com/about/best-warranties



1.	PRODUCT CODE	Cable length (ft)	Amps	Resistance (Ω)	Square Foot Coverage with Membrane				Square Foot Coverage Loose Lay		Canada
					2-3 pgs	3 pgs	3-4 pgs	4 pgs	3"	4"	
120 Volt	DCM-120-65	16.7	0.5	221.5	4	5	6	7	4	6	\$182.00
	DCM-120-130	33.1	1.1	110.8	8	10	12	13	8	11	\$213.00
	DCM-120-195	49.9	1.6	73.8	13	15	18	20	12	17	\$258.00
	DCM-120-260	66.3	2.2	55.4	17	20	23	27	17	22	\$295.00
	DCM-120-325	83.0	2.7	44.3	21	25	29	33	21	28	\$332.00
	DCM-120-390	99.4	3.3	36.9	25	30	35	40	25	33	\$363.00
	DCM-120-525	132.9	4.4	27.4	33	40	47	53	33	44	\$436.00
	DCM-120-655	166.0	5.5	22.0	42	50	58	67	42	55	\$486.00
	DCM-120-785	199.1	6.5	18.3	50	60	70	80	50	66	\$536.00
	DCM-120-920	232.3	7.7	15.6	58	70	82	93	58	77	\$586.00
	DCM-120-1050	265.4	8.8	13.7	67	80	93	107	66	88	\$647.00
	DCM-120-1180	298.6	9.8	12.2	75	90	105	120	75	100	\$713.00
	DCM-120-1315	331.7	11.0	11.0	83	100	117	133	83	111	\$776.00
	DCM-120-1445	364.8	12.0	10.0	91	110	128	147	91	122	\$842.00
	DCM-120-1575	398.0	13.1	9.1	100	120	140	160	99	133	\$901.00
240 Volt	DCM-240-195	50.0	0.8	296.0	13	15	18	20	12	17	\$253.00
	DCM-240-325	83.0	1.4	177.2	21	25	29	33	21	38	\$332.00
	DCM-240-390	99.4	1.6	147.7	25	30	35	40	25	33	\$362.00
	DCM-240-525	132.9	2.2	109.7	33	40	47	53	33	44	\$435.00
	DCM-240-655	166.0	2.8	87.9	42	50	58	67	42	55	\$487.00
	DCM-240-785	199.1	3.3	73.4	50	60	70	80	50	66	\$536.00
	DCM-240-920	232.3	3.9	62.6	58	70	82	93	58	77	\$585.00
	DCM-240-1050	265.4	4.5	54.9	67	80	93	107	66	88	\$647.00
	DCM-240-1180	298.6	5.0	48.8	75	90	105	120	75	100	\$692.00
	DCM-240-1310	331.7	5.6	44.0	83	100	117	133	83	111	\$729.00
	DCM-240-1640	414.7	7.0	35.1	104	125	146	167	104	138	\$806.00
	DCM-240-1970	497.7	8.4	29.2	125	150	175	200	124	166	\$941.00
	DCM-240-2300	580.7	9.8	25.0	146	175	204	233	145	194	\$1,089.00
	DCM-240-2630	663.4	11.2	21.9	166	200	233	266	166	221	\$1,130.00
	DCM-240-2955	746.4	12.6	19.5	187	224	262	300	187	249	\$1,209.00
	DCM-240-3240	829.4	13.5	17.8	208	249	292	333	207	276	\$1,345.00

*for 208V figures, see product specification sheet, which can be found on warmup.com or .ca

APPLICATION - MEMBRANE OR FIXING BAND




DCM-PRO Uncoupling Membrane

Peel-and-Stick or Fleece-Backed

The TCNA-tested DCM-PRO anti-fracture Membrane is available in peel-and-stick or fleece-backed and can be installed on wood and cement subfloors using any tile adhesive. The patented DCM-PRO design allows for more cable to adhesive contact, ultimately distributing heat more evenly. There is no waiting required after installation so you can begin laying the flooring immediately.

Application




Peel-and-Stick

Installs in minutes with self-adhesive backing.

- Ideal for installation over plywood, concrete, or WIB
- Best for remodels and multi-units for fast installation
- Tile immediately
- 40% savings on labor and material
- Doesn't roll back: no memory
- Increased thinset-to-cable contact for more efficient heating

NO
THINSET
REQUIRED
BELOW

Code	Description	Dimensions of each sheet/roll	Canada
DCM-PSW-80	Box of 10 Peel-and-Stick sheets, covering 81.6sqft in total.	3'3" x 2'7"	\$302.00
DCM-PSW-150	Roll of Peel-and-Stick membrane, covering 150 sqft in total.	3'3" x 47'2"	\$486.00



Fleece-Backed

Use with any tile adhesive above and below

- Ideal for installation over rough and uneven subfloors (OSB)
- Tile in 1 hour
- Apply and cover with modified adhesives
- Compatible with Self-Levelers
- Increased thinset-to-cable contact for more efficient heating

Code	Description	Dimensions of each sheet/roll	Canada
DCM-MW-70	NEW SIZE Available. Box of 10 Fleece-backed sheets, covering 71.8sqft in total.	3'3" x 2'3"	\$239.00
DCM-MW-80	Roll of Fleece=backed membrane, covering 81.6sqft in total. While supplies last.	3'3" x 2'7"	\$271.00
DCM-MW-150	Roll of Fleece=backed membrane, covering 150sqft in total.	3'3" x 47'2"	\$473.00

3.	Code	Accessories	Canada
	ACC-DGMTR	The Alligator Tester - Digital Multimeter.	\$30.00
	DCM-SP-10K	Additional Floor Sensor	\$27.00
	RL-120V25A	General purpose 25A/120V relay used to expand the switching capability of the Warmup thermostats. Mounts in single gang box.	\$110.00
	RL-240V25A	General purpose 25A/240V relay used to expand the switching capability of the Warmup thermostats. Mounts in single gang box.	\$114.00
	DCM-FB-82	Metal fixing band. 82' long spool.	\$136.00
	ACC-PLTL	Heavy Duty Plastic Trowel 11" x 5.5" with 1/4" U-notch design.	\$19.00
	RK-INDOOR	Indoor heating cable repair kit.	\$16.00
	RK-ENDCAP	Indoor heating cable end cap repair kit.	\$16.00
	RK-JOINT	Indoor heating cable factory joint repair kit.	\$16.00
	ACC-WATCHDOG	The Watch Dog Tester - Sounds an alarm when connected to a broken heating cable.	\$28.00
	DCT-SBOX	The Dual Cable Tester can test two load-neutral-ground connections of heating cables at once.	\$60.00

4.	Code	Thermostats	Canada
	6iE-04-CW-LC	Warmup's most popular thermostat, the white WiFi 6iE® featuring a smartphone quality touchscreen.	\$320.00
	4iE-V03WH	Warmup's 4iE non-WiFi thermostat in white.	\$241.00
	TRA-04-WH-LC	Warmup Terra Smart WiFi Thermostat with a minimal display.	\$307.00


5.	Code	Optional Insulation	Canada
	WCI-01	Single 4'x2' Ultralight sheet with 4-in-1 capabilities: insulating, heat spreading, and decoupling.	\$42.00

Waterproofing


Code	Waterproofing Accessories	Canada
DCM-WP-B35	Waterproofing for DCM-PRO. Includes a 35ft roll of tape.	\$56.00
DCM-WP-IN	Waterproofing for DCM-PRO. Includes 2 inside corners	\$24.00
DCM-WP-OUT	Waterproofing for DCM-PRO. Includes 2 outside corners.	\$24.00

Roll	35' x 5"
Inside corner (2/kit)	115mm * 115mm
Outside corner (2/kit)	105mm * 105mm

DCM-PRO Project Examples



Size 89 sq. ft.		Price \$922.00	Type DCM-PRO	
Total Room Area	89 sq. ft.		Specifications	
Surface to be Heated	35 sq. ft.		Voltage	120
Heating System	DCM-C-120-390	\$363.00	Amps	3.30
Membrane	DCM-MW-70	\$239.00	Monthly Cost to Run	\$5.69
Thermostat	6iE-04-CW-LC	\$320.00	Total BTU Equivalent	1,330
Subtotal		\$922.00		



Size 237 sq. ft.		Price \$1,497.00	Type DCM-PRO	
Total Room Area	237 sq. ft.		Specifications	
Surface to be Heated	150 sq. ft.		Voltage	240
Heating System	DCM-C-240-1970	\$941.00	Amps	8.21
Membrane	DCM-PSW-150	\$486.00	Monthly Cost to Run	\$18.76
Thermostat	6iE-04-CW-LC	\$32.00	Total BTU Equivalent	6,723
Subtotal		\$1,747.00		

StickyMat™

Use under tile, stone, & LVT



The Warmup StickyMat is designed for use within an adhesive layer under tiles or within a levelling compound under other floor finishes.

The fixed spacing and self-adhesive mat makes installation of regularly shaped rooms quick and easy, whilst ensuring precision is maintained.



Quote in 4 Easy Steps:

- 1. Heating Mat
- 2. Accessories
- 3. Thermostat
- 4. Optional Insulation (pg 21)



1.

Area (sqft)	Code	Mat Length (ft) (20" wide)	Wattage	Amps	Resistance (Ω)	Canada
10	DWM-120-140	6'	140	1.16	102.8	\$278.00
15	DWM-120-210	9'	210	1.75	68.5	\$338.00
20	DWM-120-280	12'	280	2.33	51.4	\$399.00
25	DWM-120-350	15'	350	2.91	41.2	\$463.00
30	DWM-120-420	18'	420	3.49	34.3	\$511.00
40	DWM-120-560	24'	560	4.66	25.7	\$608.00
50	DWM-120-700	30'	700	5.82	20.6	\$734.00
60	DWM-120-840	37'	840	7.01	17.1	\$849.00
75	DWM-120-1050	46'	1050	8.75	13.7	\$1,044.00
90	DWM-120-1260	55'	1260	10.52	11.4	\$1,210.00
110	DWM-120-1540	67'	1540	12.76	9.4	\$1,421.00
120	DWM-120-1620	73'	1620	13.48	8.9	\$1,499.00
25	DWM-240-350	15'	350	1.45	164.6	\$462.00
40	DWM-240-560	24'	560	2.33	102.9	\$608.00
50	DWM-240-700	30'	700	2.91	82.3	\$734.00
75	DWM-240-1050	46'	1050	4.37	54.9	\$1,033.00
90	DWM-240-1260	55'	1260	5.25	45.7	\$1,210.00
110	DWM-240-1540	67'	1540	6.41	37.4	\$1,451.00
150	DWM-240-2100	91'	2100	8.75	27.4	\$1,834.00
180	DWM-240-2520	110'	2520	10.48	22.9	\$2,148.00
220	DWM-240-3080	134'	3080	12.83	18.7	\$2,519.00
240	DWM-240-3240	146'	3240	13.48	17.8	\$2,674.00
9	DWM-09-120	3 x 3	126	1.05	114.3	\$269.00
15	DWM-15-120	3 x 5	210	1.75	68.5	\$338.00
18	DWM-18-120	3 x 6	252	2.10	57.1	\$391.00
24	DWM-24-120	3 x 8	336	2.80	42.9	\$463.00
30	DWM-30-120	3 x 10	420	3.50	34.3	\$511.00

*for 208V figures, see product specification sheet, which can be found on warmup.com


2.

Code	Accessories	Canada
ACC-DGMTR	The Alligator Tester - Digital Multimeter.	\$30.00
DCM-SP-10K	Additional Floor Sensor	\$27.00
RL-240V25A	General purpose 25A/240V relay used to expand the switching capability of the Warmup thermostats. Mounts in single gang box.	\$114.00


3.

Code	Thermostats	Canada
6iE-04-CW-LC	Our popular thermostat, the white WiFi 6iE® featuring a smartphone quality touchscreen.	\$320.00
4iE-V03WH	Warmup's 4iE non-WiFi thermostat in white.	\$241.00
TRA-04-WH-LC	Warmup Terra Smart WiFi Thermostat with a minimal display. Coming Summer 2022.	\$307.00

StickyMat™ Project Examples



Size 89 sq. ft.		Price \$735.00		Type StickyMat™	
Total Room Area	89 SQ FT			Specifications	
Surface to be Heated	35 SQ FT			Voltage	120
Heating System	DWM-120-420 FLOOR HEATING MAT	\$511.00		Amps	3.5
Thermostat	6iE THERMOSTAT	\$320.00		Monthly Cost to Run	\$6.13
		Subtotal	\$831.00	Total BTU Equivalent	1,433



Size 237 sq. ft.		Price \$1,837.00		Type StickyMat™	
Total Room Area	237 SQ FT			Specifications	
Surface to be Heated	160 SQ FT			Voltage	240
Heating System	DWM 240-2100 FLOOR HEATING MAT	\$1,834.00		Amps	8.8
Thermostat	6iE THERMOSTAT	\$320.00		Monthly Cost to Run	\$21.21
		Subtotal	\$2,154.00	Total BTU Equivalent	7,165

FOIL System

For use under Carpet, Laminate, and Floating Engineered Wood Floors


The Warmup FOIL system is an electric mat for floating floors that **requires no mortar**. The system can be customized for installation in regularly shaped spaces. The FOIL product is designed to be installed between underlay and the finished flooring.

All tested carpet pads are sufficient underlay. For laminate and wood installations, Warmup recommends the use of WIU insulation to provide better heat outputs and faster heat-up times.



Quote in 4 Easy Steps:

- 1. FOIL Heater
- 2. Accessories
- 3. Thermostat
- 4. Optional Insulation Underlay



1.	Area (sqft)	Code	Mat length (20" wide)	Wattage	Amps	Resistance (Ω)	Canada
	20	FOIL-20-240	12'	240	1.0	240	\$328.00
	25	FOIL-25-240	15'	300	1.25	192	\$349.00
	40	FOIL-40-240	24'	480	2.0	120	\$464.00
	50	FOIL-50-240	30'	600	2.5	96	\$589.00
	60	FOIL-60-240	36'	720	3.0	80	\$709.00
	70	FOIL-70-240	42'	840	3.47	69	\$829.00
	95	FOIL-95-240	57'	1140	4.70	51	\$1,119.00
	115	FOIL-115-240	69'	1380	5.71	42	\$1,249.00
	130	FOIL-130-240	78'	1560	6.48	37	\$1,429.00
	140	FOIL-140-240	84'	1680	7.05	34	\$1,579.00

2.	Code	Accessories	Canada
	ACC-DGMTR	The Alligator Tester - Digital Multimeter.	\$30.00
	RL-240V25A	General purpose 25A/240V relay used to expand the switching capability of the Warmup thermostats. Mounts in single gang box.	\$114.00
	DCM-SP-10K	Additional Floor Sensor	\$27.00
	SR-TAPE-AL	Aluminum Foil Tape for grounding. Sold in 90ft roll.	\$29.00
	ACC-WATCHDOG	The Watch Dog Tester - Sounds an alarm when connected to a broken heating cable.	\$28.00

3.	Code	Thermostats	Canada
	6iE-04-CW-LC	Warmup's most popular thermostat, the white WiFi 6iE® featuring a smartphone quality touch-screen.	\$320.00
	4iE-V03WH	Warmup's 4iE non-WiFi thermostat in white.	\$241.00
	TRA-04-WH-LC	Warmup Terra Smart WiFi Thermostat with a minimal display. Coming Summer 2022.	\$307.00

4.	Code	Optional Insulation Underlay	Canada
	WIB-SOFT-1/4-110	4' wide Warmup Insulation Underlay sold in 110 sqft rolls.	\$168.00


*The FOIL product requires an underlay. Approved carpet padding and polyurethane sound barriers are acceptable underlay.

WODH In-Slab cable

Cable System for Slab Pours up to 6"

The Warmup In-Slab Cable System is designed for use within a concrete slab. The cable spacing can be altered to fit the heating requirements and the thickness of the slab. Warmup WODH cables provide 20W per sqft or up to 70 BTUs per hour and easily

replace water-based applications. With an electric system, there is no boiler, no pump, no manifolds, and no maintenance required. It is the ideal solution for builders and remodelers in basements and room additions.



Quote in 3 Easy Steps:

- 1. Cable
- 2. Accessories
- 3. Thermostat



1.	Cable length	Code	3"	4"	5"	Wattage	Amps	Resistance (Ω)	Canada
	93	WODH-240/500	24	30	39	500	2.1	114.30	\$383.00
	176	WODH-240/950	44	59	74	950	4.0	60.00	\$586.00
	250	WODH-240/1300	62	84	104	1300	5.4	44.40	\$674.00
	315	WODH-240/1700	76	104	130	1700	7.1	33.80	\$861.00
	437	WODH-240/2400	105	146	182	2400	10.0	24.00	\$1,159.00
	625	WODH-240/3400	155	210	260	3400	14.2	16.90	\$1,364.00


2.	Code	Accessories	Canada
	ACC-DGMTR	The Alligator Tester Digital Multimeter.	\$30.00
	DCM-SP-10K	Additional Floor Sensor	\$27.00
	RL-240V25A	General purpose 25A/240V relay used to expand the switching capability of the Warmup thermostats. Mounts in single gang box.	\$114.00
	DCM-FB-82	Metal fixing strips to fix the heating cable - 82 ft long.	\$136.00
	SR-ZT-100	Bag of 100 Heavy Duty Zip Ties.	\$27.00

3.	Code	Thermostat	Canada
	6IE-04-CW-LC	Warmup's Wifi white 6IE®	\$320.00

Insulation Boards Under Tile

Warmup Ultralight is a specialized composite board designed for floor heating applications. Manufactured as flat, flexible, sheets, they are water

and mold resistant. The top surface incorporates a heat spreading aluminum layer combined with non-woven fleece.



Code	Description	Canada
WCI-01	Single 4'x2' Ultralight sheet with 4-in-1 capabilities: insulating, heat spreading, and decoupling.	\$42.00

Insulation Underlay For Floating Floors

Warmup Insulation Underlay is a thin polystyrene insulation barrier with effective acoustic properties to reduce contact noise.

It sits between the cold subfloor and Warmup FOIL Heating System, prevents heat loss and makes the underfloor heating system more efficient and effective. The Foil backing acts as an effective moisture barrier.



Code	Description	Canada
WIB-SOFT-1/4-110	4' wide Warmup Insulation Underlay sold in 110 sqft rolls.	\$168.00

6iE Thermostat

“Alexa, set living room thermostat to 85 degrees”



Code	Orientation	Color	WiFi/ Non WiFi	Max Load	Canada
6iE-04-CW-LC	Portrait	White	WiFi	15A	\$320.00
DCM-SP-10K*	N/A	White	N/A	N/A	\$27.00
RL-240V25A	N/A	N/A	N/A	25A	\$110.00
RL-120V25A	N/A	N/A	N/A	25A	\$114.00

*all thermostat boxes include one floor sensor DCM-SP-10K
**all 6iE® models have a built-in Class A GFCI and can operate systems at 120, 208 or 240V, via ambient and floor sensor.

Additional Thermostat Options

Code	Color	WiFi/ Non WiFi	Max Load	Warranty	Canada
4iE-V03-WH	White	Non WiFi	15A	3 year	\$241.00
TRA-04-WH-LC	White	WiFi	15A	12 year	\$307.00
RFT-P-WH	White	Non WiFi	15A	1 year	\$199.00
RL-240V25A	N/A	N/A	25A	N/a	\$110.00
DCM-SP-10K*	White	N/A	N/A	N/A	\$27.00

*all thermostat boxes include one floor sensor DCM-SP-10K
**all models have a built-in Class A GFCI and can operate systems at 120, 208 or 240V, via ambient and floor sensor.



TRA-04-WH-CL




4iE-V03-WH



RFT-P-WH

THERMOSTAT INSTALLATION



Turn your bathroom
into a spa™

Warmup

Matte Black



24" (600mm)

Square tubes
HTR-002MB



24" (600mm)

Round tubes
HTR-001MB

DID YOU KNOW?

Warmup's unique 001 and 002 models are recommended in sets of 4 or more for best results. Mounting bracket included.




24" (600mm)

Square ladder
HTR-091MB

SEE MORE AT WARMUP.COM

Code	Description	Wattage	Canada
HTR-001MB	Single matte black round tube towel warmer	14	\$164.00
HTR-002MB	Single matte black square tube towel warmer	14	\$178.00
HTR-091MB	Ladder type matte black square tube towel warmer	60	\$515.00

Brushed Stainless



24" (600mm)

Square tubes
HTR-002BN

DID YOU KNOW?
Warmup's unique 001 and 002 models are recommended in sets of 4 or more for best results. Mounting bracket included.



36" (920mm)

24.5" (620mm)

Square tubes
HTR-107BN



53" (1340mm)

24.5" (620mm)

Square tubes
HTR-110BN

Code	Description	Wattage	Canada
HTR-002BN	Single brushed nickel square tube towel warmer	14	\$178.00
HTR-107BN	Ladder style square tube towel warmer with 7 bars	80	\$646.00
HTR-110BN	Ladder style square tube towel warmer with 10 bars	110	\$832.00

Polished Stainless



24" (600mm)

Round tubes
HTR-001PC

DID YOU KNOW?
You can see all of our available towel warmers at www.warmup.com

Code	Description	Wattage	Canada
HTR-001PC	Single polished chrome round tube towel warmer	14	\$164.00
HTR-090PC	Ladder style towel warmer with 6 curved bars	90	\$648.00
HTR-091PC	Ladder style towel warmer with 6 round bars	60	\$485.00



(27.5" (698.5 mm))

24.5" (600mm)

Round tubes - curved
HTR-090PC

Plan for a safe & maintenance-free winter with Warmup® Snow Melting Solutions



Residential Driveway




Size 750 Sqft		Price \$11,375.00		Type WSMM and WSM	
Total Area	750 sqft			Specifications	
Heating System	3 2'x60' mats	\$4,803.00		Voltage	240
	2'x40' mat	\$1,121.00		Amps	127
	2'x25' mat	\$739.00		Winter Cost to Run	\$285
	500' of loose cable	\$1,372.00		Total Wattage	30,500
Controller	WSM-200-WiFi	\$3,700.00			
		Subtotal	\$11,735.00		

Snow Melting Mats

For regular layouts and spacing under concrete, pavers, and asphalt pours.


Warmup systems are ideal to provide snow-free access to the house and prevent injuries on stairs and walkways. They are commonly used in concrete pours, asphalt driveways, and paved walkways.



Mats are 2ft or 3ft wide and with a 3" cable spacing providing 50w/sqft for optimum results under even the harshest conditions.


FEATURES & BENEFITS

- Versatile installation in asphalt, concrete, or under pavers
- Dual conductor cable, one-point connection
- Available in a wide range of lengths to suit your requirements
- Available in 2 ft and 3 ft wide rolls



TECHNICAL DATA

- Operating voltage: 208, 240, 480, and 600V
- Output rating: 50W/sqft at 240V
- Rated to a maximum temperature of 464°F (240°C) under asphalt pours
- Cold tail length: 16'4"
- 10-Year Warranty



Voltage	Area (sqft)		Mat Length (ft)	Wattage	Amps	Resistance (Ω)	Canada
240V*	10	WSMM-240/500	5	500	2.1	115.20	\$247.00
	20	WSMM-240/1000	10	1000	4.2	57.60	\$422.00
	30	WSMM-240/1500	15	1500	6.3	38.40	\$557.00
	40	WSMM-240/2000	20	2000	8.33	28.80	\$660.00
	50	WSMM-240/2500	25	2500	10.43	23.00	\$739.00
	60	WSMM-240/3000	30	3000	12.5	19.20	\$924.00
	70	WSMM-240/3500	35	3500	14.6	16.46	\$1,021.00
	80	WSMM-240/4000	40	4000	16.7	14.40	\$1,121.00
	90	WSMM-240/4500	45	4500	18.8	12.80	\$1,211.00
	100	WSMM-240/5000	50	5000	20.86	11.50	\$1,334.00
	120	WSMM-240/6000	60	6000	25.0	9.60	\$1,601.00

Voltage	Area (sqft)	Code	Mat Length (ft)	Wattage	Amps	Resistance (Ω)	Canada
240V*	30	WSMM-240/3x10	10	1500	6.3	38.4	\$565.00
	60	WSMM-240/3x20	20	3000	12.5	19.2	\$904.00
	75	WSMM-240/3x25	25	3750	15.6	15.6	\$1,031.00
	90	WSMM-240/3x30	30	4500	18.8	12.8	\$1,238.00
	120	WSMM-240/3x40	40	6000	25.0	9.6	\$1,437.00

*all mats can be connected to 208V and 240V single phase. Please check our Technical Data Sheets for variations to Wattage output and Amperage Load under different Voltages.

Code	Accessories	Canada
WSM-NMP	Branded Name Plate for use with Warmup Snow Melt Heater installations (NEC426-13).	\$56.00
ACC-DGMTR	The Alligator Tester - Digital Multimeter.	\$27.00
SR-ZT-100	Bag of 100 Heavy Duty Zip Ties. 7" long. For use with WSM, WODH and SR cable series. 50lbs load bearing capacity.	\$27.00
RK-EO	Repair kit for Warmup® outdoor heating cable.	\$26.00

Snow Melting Cables

For custom layouts and spacing under concrete, pavers, and asphalt pours.

Snow Melting Cables are the loose equivalent of the Mats. The cables are reinforced with advanced fluoropolymer coatings to form a cable jacket that can withstand traffic and setting material. Warmup's

Cables are completely grounded and safe for installation under asphalt, pavers, and concrete. Choose the loose format for stairs and off-shaped areas and combine with Mats wherever necessary.

FEATURES & BENEFITS

- Versatile installation in asphalt, concrete, or under pavers
- Flexible cable: quick and easy to install in every configuration
- Dual conductor cable, one-point connection
- Available in a wide range of lengths to suit your requirements



TECHNICAL SPECIFICATIONS

- Operating voltage: 208, 240, and 480V
- Output rating: 12W / linear foot at 240V
- Energy efficient twin-conductor heating cable of 1/4"
- Wire jacket rated to take maximum asphalt pour temperatures of 464°F (240°C)
- Cold tail length: 16'4"
- 10-Year Warranty



Voltage	Length (ft)	Code	3"	4"	5"	Wattage	Amps	Resistance (Ω)	Canada
240V*	84	WSM-240/1000	20	27	34	1000	4.2	57.1	\$339.00
	168	WSM-240/2000	43	57	72	2000	8.3	28.9	\$523.00
	209	WSM-240/2500	51	67	84	2500	10.4	23.1	\$672.00
	251	WSM-240/3000	62	84	104	3000	12.5	19.2	\$724.00
	330	WSM-240/4000	85	110	135	4000	16.90	14.2	\$957.00
	420	WSM-240/5000	100	140	170	5000	20.86	11.5	\$1,159.00
	500	WSM-240/6000	122	181	200	6000	25.0	9.6	\$1,372.00

*all mats can be connected to 208V and 240V single phase. Please check our Technical Data Sheets for variations to Wattage output and Amperage Load under different Voltages.


Voltage	Length (ft)	Code	Wattage	Amps	Resistance (Ω)	Canada
480V	84	WSM-480/1000	1000	2.08	230.77	N/A
	209	WSM-480/2500	2500	5.20	92.30	N/A
	342	WSM-480/4000	4000	8.33	57.62	N/A
	500	WSM-480/6000	6000	12.50	38.4	N/A

Voltage	Length (ft)	Code	Wattage	Amps	Resistance (Ω)	Canada
600V	84	WSM-600/1000	1000	1.7	360	\$345.00
	209	WSM-600/2500	2500	4.2	144	\$687.00
	342	WSM-600/4000	4000	6.7	90	\$983.00
	500	WSM-600/6000	6000	10	60	\$1,410.00

Code	Accessories	Canada
WSM-NMP	Branded Name Plate for use with Warmup Snow Melt Heater installations (NEC426-13).	\$56.00
ACC-DGMTR	The Alligator Tester - Digital Multimeter.	\$27.00
SR-ZT-100	Bag of 100 Heavy Duty Zip Ties. 7" long. For use with WSM, WODH and SR cable series. 50lbs load bearing capacity.	\$27.00
DCM-FB-82	Metal fixing strips to fix the heating cable - 83 ft long.	\$26.00
RK-EO	Repair kit for Warmup® outdoor heating cable.	\$26.00

Sensors, Panels, and Controls

To control a system you will need two things: a relay panel and a controller. Often times, these two devices are put together in one unit. As an option, you may also need a sensor to trigger the system. Those are the 3 components needed, so let’s look at your options:



The SNO-PRO-100 is available in either a WiFi or Non-WiFi version. The WiFi connects to the Warmup WSM Snowmelting App, which allows you to preheat the slab using forecasted data/storm prediction. Also, can be used in a master satellite configuration.

The simplest set up is with a Timer panel like the SNO-PRO. This set up has all the relays built-in and WiFi capabilities to use the panel in conjunction with the WSM App.

Another great set up for smaller areas up to 300 sqft is with the DS control series. These devices are ideal for walkways, tire-tracks, and residential projects. The sensor is built into the controller and the heating mats connect directly to it so there is nothing else to buy.

The more advanced set-ups will combine a smart panel with a sensor. A popular option for larger projects are the RESIBOX and COMBOX systems which can control large applications and have built-in GFEP protection. They are triggered by the AIRSENSE sensor mounted on the wall.

Snow Melting Controls and Accessories

A set up for every project and every budget


Sensors and Controls

Code	Description	Canada
SNO-PRO-100	Snow/Ice Melt All-In-One Control Unit, an exceptionally capable deicing controller. Compatible with the Warmup WSM Snowmelting App. Available in a single phase or three phases. 208V-600V. **Pre-Order ETA on or before November 1st.	\$3,648.00
SNO-PRO-100 WIFI	Snow/Ice Melt All-In-One Control Unit, an exceptionally capable deicing controller. Compatible with the Warmup WSM Snowmelting App. Available in single phrase or three phase. 208V-600V. **Pre-Order ETA on or before November 1st.	\$4,595.00
ODC-A5E-DS2C	Snow/Ice Melt All-In-One Control Unit, 1 Zone control, ground and roof, 115/230VAC, 30 amps	\$936.00
ODC-A5E-DS5C	Snow/Ice Melt All-In-One Control Unit, 2 Zone control, ground and roof, 115/230VAC, 60 amp (2 x 30 amps)	\$1,083.00
ODC-A5E-DS8C	Snow/Ice Melt Control Unit, 100-277 VAC Universal Input Power Supply, 1-30A SPST Load Contactor. remote moisture sensor, ground and roof, 115/230VAC	\$1,085.00
ODC-A5E-DS9C	The DS-9C is a Roof & Gutter controller with 2x30A resistive load capacity.	\$1,153.00
ODC-CDP-2	Indoor Monitoring and Control for Roof & Gutter Cable, Self Powered, fits Any Standard Single Gang or multi gang electrical enclosure. Fits all DS series controllers.	\$373.00
ODC-CS-50	50ft connection kit between DS Controller and CDP-2 remote	\$159.00
ODC-GF-1	In-line Ground Fault Equipment Protection Device for one circuit up to 60A load at 120/208/240V. 30mA trip level. NEMA 4X/IP65 enclosure.	\$922.00
ODC-GF-2	In-line Ground Fault Equipment Protection Device for two circuits up to 63A load each at 120/208/240V. 30mA trip level. NEMA 4X/IP65 enclosure	\$1,298.00
ODC-RESIBOX3	Plug-and-Play outdoor controller with 4 x 30A/2pole contactors allowing for a total load of 120A with a minimum power supply of 36A. Comes in LED enclosure with GFEP protection, built-in Digital controller and ground temperature sensor. AIRSense sold separately.	\$5,399.00
ODC-COMBOX600	Plug-and-Play outdoor controller with 4 x 50A/3pole contactors allowing for a total load of 600A with a minimum power supply of 150A (3-phase power). 230A Max load at 240V supply. Comes in LED enclosure with GFEP protection, built-in Digital controller and ground temperature sensor. 3-Phase power and any transformers are the responsibility of the Electrical Contractor. AirSense sold separately.	\$7,853.00
ODC-AIRSS	Outdoor moisture and temperature sensor	\$1,108.00
ODC-AIRSS-B	Mounting bracket for AirSense Sensor	\$281.00
TRF115-005	Line voltage controller 120v - 277v, NEMA 4X enclosure with remote temperature sensor.	\$309.00
ODC-TRACE-2	Heat Tracing Controller with built-in GFEP protection and 30A load switching capability.	\$1,917.00
ODC-PRO-R	Gutter sensor for SNO-PRO panel. Measures moisture & temperature. Active below 38F.	\$1,388.80
ODC-PRO-G	Surface-mounted snow and ice sensor for SNO-PRO panel. Detects moisture and temperature and triggers below 38F. Housing sold separately.	\$3,187.20
ODC-SIT-6E-H	Housing for SIT-6E sensor	\$390.40

PIPE FREEZE PROTECTION CABLES: JACKETED

Self-regulating cable for indoor and outdoor applications

Available in cut-to-length spools or plug-in kits, the Warmup Cable is applicable on metal, PVC, and ceramic pipes, sprinkler systems, and sewer drains.



	Code	Description	CAN
120V	SR-5W-1-250	Self-Regulated 16GA Cable, 120V, 5W/linear foot. Sold in 250' length spools.	\$2,116.00
	SR-5W-1-500	Self-Regulated 16GA Cable, 120V, 5W/linear foot. Sold in 500' length spools.	\$4,230.00
	SR-5W-1-1000	Self-Regulated 16GA Cable, 120V, 5W/linear foot. Sold in 1000' length spools.	\$8,458.00
	SR-8W-1-250	Self-Regulated 16GA Cable, 120V, 8W/linear foot. Sold in 250' length spools.	\$2,178.00
	SR-8W-1-500	Self-Regulated 16GA Cable, 120V, 8W/linear foot. Sold in 500' length spools.	\$4,355.00
	SR-8W-1-1000	Self-Regulated 16GA Cable, 120V, 8W/linear foot. Sold in 1000' length spools.	\$8,707.00
240V	SR-5W-2-250	Self-Regulated 16GA Cable, 240V, 5W/linear foot. Sold in 250' length spools.	\$2,116.00
	SR-5W-2-500	Self-Regulated 16GA Cable, 240V, 5W/linear foot. Sold in 500' length spools.	\$4,230.00
	SR-5W-2-1000	Self-Regulated 16GA Cable, 240V, 5W/linear foot. Sold in 1000' length spools.	\$8,458.00
	SR-8W-2-250	Self-Regulated 16GA Cable, 240V, 8W/linear foot. Sold in 250' length spools.	\$2,178.00
	SR-8W-2-500	Self-Regulated 16GA Cable, 240V, 8W/linear foot. Sold in 500' length spools.	\$4,355.00
	SR-8W-2-1000	Self-Regulated 16GA Cable, 240V, 8W/linear foot. Sold in 1000' length spools.	\$8,707.00
120V	SR-K6FT	Self Regulating Kit with Plug, 6ft	\$104.00
	SR-K12FT	Self Regulating Kit with Plug, 12ft	\$151.00
	SR-K18FT	Self Regulating Kit with Plug, 18ft	\$192.00
	SR-K24FT	Self Regulating Kit with Plug, 24ft	\$214.00
	SR-K50FT	Self Regulating Kit with Plug, 50ft	\$392.00
	SR-K75FT	Self Regulating Kit with Plug, 75ft	\$482.00
	SR-K100FT	Self Regulating Kit with Plug, 100ft	\$614.00


PIPE FREEZE PROTECTION CONTROLLERS

Self-regulating cable for indoor and outdoor applications

When combined with an integrated thermostat, the system is automatically turned “on” when temperatures drop below freezing.

Code	Description	Canada
TRF115-005	Ambient temperature thermostatic control for Pipe Freeze Protection and Deicing applications. Can be set from 0F to 120F trigger point. Comes with 5ft bulb sensor. 25A (120/208/240V).	\$309.00

ACCESSORIES



Code	Description	Canada
SR-TAPE-AL	Aluminum Foil Tape for Self-Regulating Cable. Sold in 90ft roll.	\$29.00
SR-LBL	Pack of 10 warning lables	\$27.00
SR-ZT-100	100 Heavy Duty Zip Ties. 7" long. For use with WSM, WODH and NAMS cable series. 50lbs load bearing capacity.	\$29.00
SR-POWER-KIT	Power Connection Kit for Self-Regulated Cable. Includes pipe mounting bracket and an End Kit.	\$88.00
SR-SPLICE-KIT	Splice/Tee Kit for Self-Regulated Cable. Includes (2) end caps.	\$59.00
SR-END-KIT	End Seal Kit for Self-Regulating Cable.	\$31.00
SR-SFIT-BOX	Power connection junction box (6x6x3) with Pipe-Mounting Bracket for Self-Reg connections.	\$313.00
SR-SFIT-SPL	In-line splicing box for fast and weathertight connections in the field.	\$92.00
SR-SFIT-TEE	3-Way T-splice box for fast and weathertight connections in the field.	\$99.00
SR-LENDCAP	Lit end cap for self regulating cable	\$384.00

Plan for a safe & maintenance-free winter with Warmup® Roof & Gutter De-Icing

Warmup

Roof and Gutter Deicing

ROOF & GUTTER DE-ICING SYSTEMS

Constant Wattage Plug-In Kits for Residential Applications

The Warmup WRGH is a constant wattage roof de-icing system supplied in pre-terminated plug-in kits. It is offered in sizes from 30ft to 240ft, from 150W to 1,200W. It is supplied with roof clips and spacers. WRGH kits are sold pre-assembled with a 3-prong plug in order to provide a simple, DIY solution to resolve ice dams and snow accumulation on roof lines.

While spacing will impact the eventual output, the WRGH cables are designed for residential use.

For heavy-duty and commercial applications, please refer to the SR product range from Warmup.

An optional WRS-2 Controller can be purchased to reduce usage and electrical draw when temperatures are above 40°F. It is highly recommended to increase product life and to reduce risk of fires or burn outs.



TECHNICAL SPECIFICATIONS

- Not suitable for Pipe Freeze Protection
- Do not overlap or terminate cable
- Turn system off after the snow season
- Must be connected to GFCI protected outlet or breaker.



WRS-2 Controller



Code	Length in Feet	Wattage	Voltage	W/lin. ft	Canada
WRGH-120-150	30	150	120	5	\$121.00
WRGH-120-300	60	300	120	5	\$157.00
WRGH-120-400	80	400	120	5	\$199.00
WRGH-120-500	100	500	120	5	\$225.00
WRGH-120-600	120	600	120	5	\$279.00
WRGH-120-800	160	800	120	5	\$330.00
WRGH-120-1000	200	1000	120	5	\$393.00
WRGH-120-1200	240	1200	120	5	\$428.00

Code	Description	Canada
ODC-WRS-2	Moisture & Temperature Controller for Warmup WRG Roof & Gutter De-Icing Kits.	\$163.00

	Code	Description	Canada
120V	SR-5W-1-250	Self-Regulated 16GA Cable, 120V, 5W/linear foot. Sold in 250' length spools.	\$2,116.00
	SR-5W-1-500	Self-Regulated 16GA Cable, 120V, 5W/linear foot. Sold in 500' length spools.	\$4,230.00
	SR-5W-1-1000	Self-Regulated 16GA Cable, 120V, 5W/linear foot. Sold in 1000' length spools.	\$8,458.00
	SR-8W-1-250	Self-Regulated 16GA Cable, 120V, 8W/linear foot. Sold in 250' length spools.	\$2,178.00
	SR-8W-1-500	Self-Regulated 16GA Cable, 120V, 8W/linear foot. Sold in 500' length spools.	\$4,355.00
	SR-8W-1-1000	Self-Regulated 16GA Cable, 120V, 8W/linear foot. Sold in 1000' length spools.	\$8,707.00
240V	SR-5W-2-250	Self-Regulated 16GA Cable, 240V, 5W/linear foot. Sold in 250' length spools.	\$2,116.00
	SR-5W-2-500	Self-Regulated 16GA Cable, 240V, 5W/linear foot. Sold in 500' length spools.	\$4,230.00
	SR-5W-2-1000	Self-Regulated 16GA Cable, 240V, 5W/linear foot. Sold in 1000' length spools.	\$8,458.00
	SR-8W-2-250	Self-Regulated 16GA Cable, 240V, 8W/linear foot. Sold in 250' length spools.	\$2,178.00
	SR-8W-2-500	Self-Regulated 16GA Cable, 240V, 8W/linear foot. Sold in 500' length spools.	\$4,355.00
	SR-8W-2-1000	Self-Regulated 16GA Cable, 240V, 8W/linear foot. Sold in 1000' length spools.	\$8,707.00
120V	SR-K6FT	Self Regulating Kit with Plug, 6ft	\$104.00
	SR-K12FT	Self Regulating Kit with Plug, 12ft	\$151.00
	SR-K18FT	Self Regulating Kit with Plug, 18ft	\$192.00
	SR-K24FT	Self Regulating Kit with Plug, 24ft	\$214.00
	SR-K50FT	Self Regulating Kit with Plug, 50ft	\$392.00
	SR-K75FT	Self Regulating Kit with Plug, 75ft	\$482.00
	SR-K100FT	Self Regulating Kit with Plug, 100ft (seen below)	\$614.00



CONTROLS AND ACCESSORIES

A wide variety of control options to fit any size roof and gutter heating project.

Controllers

Code	Description	Canada
SNOPRO-100	Snow/Ice Melt All-In-One Control Unit, an exceptionally capable deicing controller. Compatible with the Warmup WSM App. 208V-600V. *Pre-Order ETA on or before November 1st.	\$3,648.00
SNOPRO-100 WIFI	Snow/Ice Melt All-In-One Control Unit, an exceptionally capable deicing controller. Compatible with the Warmup WSM App. 208V-600V. *Pre-Order ETA on or before November 1st.	\$4,595.00
ODC-ASE-DS8C	Wall-mounted controller with built-in sensor and 1x30A capacity (240V). For Snow Melting.	\$869.00
ODC-ASE-DS9C	Wall-mounted controller with built-in sensor and 2x30A capacity (240V). For Snow Melting.	\$921.00
ODC-RESIBOX3	Automatic Snow Melting Panel with 3 x 30A switching capability. Requires AIRSENSE sensor.	\$4,713.00
ODC-AIRSS	Outdoor moisture and temperature sensor.	\$887.00
ODC-AIRSS-B	Mouting bracket for AirSense sensor.	\$225.00



Accessories

Code	Description	Canada
SR-HANGER-KIT	Downspout Hanger for Self-Regulating Cable and Roof/Gutter heaters.	\$30.00
SR-POWER-KIT	Power Connection Kit for Self-Regulating Cable. Includes 2*warning labels and 1*END-KIT.	\$88.00
SR-ROOF-CLIP	Metal single roof clips packaged and sold 50 per pkg. Secure to roof with screws or Everseal SB-170 adhesive or similar.	\$149.00
WRGH-SB-170	Versatile adhesive to apply the Warmup ROOF-CLIP on a variety of roof structures. It is water and weather proof with a strength of 2,000 psi.	\$47.00
SR-SPLICEKIT	Splice/Tee Kit for Self-Regulating Cable.	\$59.00
SR-END-KIT	End Seal Kit for Self-Regulating Cable.	\$31.00
CRDS-15-GFI	6ft lead with GFCI 3-prong molded plug, NEMA 5-15,15 amp, 14/3.	\$121.00

SpeedFit Accessories

Code	Description	Canada
SR-SFIT-BOX	Power connection junction box (6x6x3) with Pipe-Mounting Bracket for Self-Regulating connections.	\$313.00
SR-SFIT-SPL	In-line splicing box for fast and weathertight connections in the field.	\$92.00
SR-SFIT-TEE	3-Way T-splice box for fast and weathertight connections in the field.	\$99.00



Here for you

This is your project, and we're here to help! Whether it is your first time shopping with Warmup or you are back for more of this life-changing heat, we hope to offer you an unbeatable customer experience.

Questions?



Call or email us. We want to be accessible when you need us the most.

In the USA: (888) 927-6333 / ussales@warmup.com or us@warmup.com

In Canada: (888) 592-7687 / ca@warmup.com

24/7 - Online: www.warmupedia.warmup.com / www.youtube.com/user/WarmupInc or by **Phone:** (888) 927-6333

Instant Pricing



You can visit us at www.warmup.com/www.warmup.ca for instant pricing. If you prefer to speak with a team member directly, you can call or email us using the contact information listed above.

Upon request, we are happy to supply a layout for your project. A layout shows how to put the product purchased into your space.

Orders



Orders can be emailed to us@warmup.com or faxed to (888)927-4721. We appreciate your understanding that orders must be recieved in writing.

If it's your first time ordering with Warmup, we'll do our best to get you set-up same day and make sure your order is dispatched promptly.

Policies, Simplified



Shipping is a standard \$25 + \$25 per large item (DCM-PRO membrane, WIU). Orders over \$3,000 qualify for FFA.

Payment is due in full prior to credit approval.

Returns are allowed within 30 days with no penalty. After 30 days, returns are subject to a 20% restocking fee.

For complete general terms and warranty information please see pages 4-5.



The world's **best-selling** floor heating brand™



Warmup Inc.
USA

T: (888) 927-6333
F: (888) 927-4721

www.warmup.com
ussales@warmup.com



Warmup Inc.
Canada

T: (888) 592-7687
F: (888) 927-4721

www.warmup.ca
ca@warmup.com



Warmup Inc.
Mexico

T: +52 (55) 8114 0145
o +52 (55) 8114 0146

www.warmup.com.mx
mexico@warmup.com

QUESTIONS / QUOTES
ussales@warmup.com

For sales support and
quotes in just 24 hours,
contact us at
ussales@warmup.com

TECHNICAL
warmupedia.warmup.com

Warmupedia documents
installation tips and
troubleshooting guides for
all Warmup products.